ELSEVIER

Hearing Research 175 (2003) 227–228

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 175

Abbas, P.J., see A. Miller, C. (175) 200
Ahmad, M., Bohne, B.A. and Harding, G.W.
An in vivo tracer study of noise-induced damage to the reticular lamina (175) 82
Albers, F.W.J., see Wit, H.P. (175) 190
Avan, P., see Carvalho, S. (175) 215

Balaban, C.D., Zhou, J. and Li, H.
Type 1 vanilloid receptor expression by mammalian inner ear ganglion cells (175) 165
Bohne, B.A., see Ahmad, M. (175) 82
Bonfils, P., see Carvalho, S. (175) 215
Büki, B., see Carvalho, S. (175) 215

Cacace, A.T.
Expanding the biological basis of tinnitus: crossmodal origins and the role of neuroplasticity (175) 112
Carrasquillo, M., see Engel-Yeger, B. (175) 140
Carvalho, S., Büki, B., Bonfils, P. and Avan, P.
Effect of click intensity on click-evoked otoacoustic emission waveforms: implications for the origin of emissions (175) 215
Catacuzzeno, L., Fioretti, B., Perin, P. and Franciolini, F.
Frog saccular hair cells dissociated with protease VIII exhibit inactivating BK currents, K_V currents, and low-frequency electrical resonance (175) 36

Dong, Y., see Liu, J. (175) 45
Durham, D., see Smittkamp, S.E. (175) 101

Engel-Yeger, B., Zaaroura, S., Zlotogora, J., Shalev, S., Hujeirat, Y., Carrasquillo, M., Saleh, B. and Pratt, H.
Otoacoustic emissions and brainstem evoked potentials in compound carriers of connexin 26 mutations (175) 140

Feijen, R.A., see Wit, H.P. (175) 190
Feng, F., see He, D.Z.Z. (175) 183
Fioretti, B., see Catacuzzeno, L. (175) 36
Franciolini, F., see Catacuzzeno, L. (175) 36
Freeman, S., see Priner, R. (175) 133

Girod, D.A., see Smittkamp, S.E. (175) 101
Glasberg, B.R., see Moore, B.C.J. (175) 66
Griffith, A.J., see Szymko-Bennett, Y.M. (175) 178

Han, H., see Liu, J. (175) 45
Harding, G.W., see Ahmad, M. (175) 82
He, D.Z.Z., Jia, S. and Feng, F.
Thyroid hormone is not necessary for the development of outer hair cell electromotility (175) 183
Hosoi, H., see Nishimura, T. (175) 171
Hu, N., see A. Miller, C. (175) 200
Hujeirat, Y., see Engel-Yeger, B. (175) 140

Izumi, A.
Effect of temporal separation on tone-sequence discrimination in monkeys (175) 75

Javel, E., see Lin, J. (175) 2
Jia, S., see He, D.Z.Z. (175) 183

Kurima, K., see Szymko-Bennett, Y.M. (175) 178

Levine, S., see Lin, J. (175) 2
Li, H.., see Balaban, C.D. (175) 165
Li, X., see Liu, J. (175) 45
Lin, J., Ozeki, M., Javel, E., Zhao, Z., Pan, W., Schlentz, E. and Levine, S.
Identification of gene expression profiles in rat ears with cDNA microarrays (175) 2
Liu, G.B.
Functional development of the auditory brainstem in the tammar wallaby (*Macropus eugenii*): the superior olivary complex and its relationship with the auditory brainstem response (ABR) (175) 152
Liu, G., see Liu, J. (175) 45
Liu, J., Li, X., Wang, L., Dong, Y., Han, H. and Liu, G.
Effects of salicylate on serotoninergic activities in rat inferior colliculus and auditory cortex (175) 45

Miller, A.C., Abbas, P.J., Nourski, K.V., Hu, N. and Robinson, B.K.
Electrode configuration influences action potential initiation site and ensemble stochastic response properties (175) 200
Moore, B.C.J. and Glasberg, B.R.
Behavioural measurement of level-dependent shifts in the vibration pattern on the basilar membrane at 1 and 2 kHz (175) 66

Nakagawa, S., see Nishimura, T. (175) 171
Nishimura, T., Nakagawa, S., Sakaguchi, T. and Hosoi, H.
Ultrasonic masker clarifies ultrasonic perception in man (175) 171
Nizami, L.
Afferent response parameters derived from postmasker probe-detection thresholds: 'the decay of sensation' revisited (175) 14
Nourski, K.V., see A. Miller, C. (175) 200

Olsen, B., see Szymko-Bennett, Y.M. (175) 178
Ozeki, M., see Lin, J. (175) 2

Pan, W., see Lin, J. (175) 2
Park, D.L., see Smittkamp, S.E. (175) 101
Perez, R., see Priner, R. (175) 133
Perin, P., see Catacuzzeno, L. (175) 36
Pratt, H., see Engel-Yeger, B. (175) 140
Priner, R., Perez, R., Freeman, S. and Sohmer, H.
Mechanisms responsible for postnatal middle ear amniotic fluid clearance (175) 133

Robinson, B.K., see A. Miller, C. (175) 200

PII: S0378-5955(02)00787-6

Sakaguchi, T., see Nishimura, T. (175) 171
Saleh, B., see Engel-Yeger, B. (175) 140
Schlentz, E., see Lin, J. (175) 2
Seegmiller, R., see Szymko-Bennett, Y.M. (175) 178
Shalev, S., see Engel-Yeger, B. (175) 140
Smittkamp, S.E., Park, D.L., Girod, D.A. and Durham, D.
Effects of age and cochlear damage on the metabolic activity of the avian cochlear nucleus (175) 101
Sohmer, H., see Priner, R. (175) 133
Szymko-Bennett, Y.M., Kurima, K., Olsen, B., Seegmiller, R. and Griffith, A.J.
Auditory function associated with *Col11a1* haploinsufficiency in chondrodysplasia (*cho*) mice (175) 178

Wang, L., see Liu, J. (175) 45
Werner, Y.L.
Mechanical leverage in the middle ear of the American bullfrog, *Rana catesbeiana* (175) 54
Wit, H.P., Feijen, R.A. and Albers, F.W.J.
Cochlear aqueduct flow resistance is not constant during evoked inner ear pressure change in the guinea pig (175) 190

Zaaroura, S., see Engel-Yeger, B. (175) 140
Zhao, Z., see Lin, J. (175) 2
Zhou, J., see Balaban, C.D. (175) 165
Zlotogora, J., see Engel-Yeger, B. (175) 140

ELSEVIER

Hearing Research 175 (2003) 229–232

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 175

Aging
Auditory; Chicken; Cytochrome oxidase; Metabolism; Nucleus magnocellularis (Smittkamp, S.E. (175) 101)

American bullfrog
Rana catesbeiana; Middle ear; Mechanical lever; Hearing (Werner, Y.L. (175) 54)

Amniotic
Middle ear; Conductive; Fluid; Neonate; Osmotic (Priner, R. (175) 133)

Amygdala
Tinnitus; Gaze-evoked tinnitus; Cranio-cervical tinnitus; Cutaneous-evoked tinnitus; Somatomotor-evoked tinnitus; Plasticity; Crossmodal plasticity; Limbic system; Trigeminal ganglion; Phantom perception; Pain (Cacace, A.T. (175) 112)

Auditory
Aging; Chicken; Cytochrome oxidase; Metabolism; Nucleus magnocellularis (Smittkamp, S.E. (175) 101)

Hereditary; Congenital deafness; Consanguinity; Outer hair cell; Compound carrier (Engel-Yeger, B. (175) 140)

Auditory adaptation
Auditory brainstem response; Tammar wallaby; Superior olivary complex; Development (Liu, G.B./. (175) 152)

Auditory brainstem response
Tammar wallaby; Superior olivary complex; Development; Auditory adaptation (Liu, G.B./. (175) 152)

Auditory cortex
Salicylate; Tinnitus; Inferior colliculus; 5-HT; Microdialysis (Liu, J. (175) 45)

Auditory discrimination
Tone sequence; Japanese monkey (Izumi, A. (175) 75)

Auditory nerve
Auditory prosthesis; Cochlear implant; Electric stimulation; Evoked potential; Monopolar; Bipolar; Cat; Model (A. Miller, C. (175) 200)

Auditory prosthesis
Cochlear implant; Electric stimulation; Auditory nerve; Evoked potential; Monopolar; Bipolar; Cat; Model (A. Miller, C. (175) 200)

Auditory system
Outer hair cell; Development; Motility; Thyroid hormone; Hypothyroidism; Gerbil; Tissue culture (He, D.Z.Z. (175) 183)

Basilar membrane mechanics
Forward masking; Frequency tuning (Moore, B.C.J. (175) 66)

Bipolar
Auditory prosthesis; Cochlear implant; Electric stimulation; Auditory nerve; Evoked potential; Monopolar; Cat; Model (A. Miller, C. (175) 200)

BK channels
Frog sacculus; Hair cells; Voltage-dependent K channels; Electrical resonance; Protease VIII; Papain (Catacuzzeno, L. (175) 36)

Bone conduction
Ultrasonic perception; Simultaneous masking; Dynamic range; Ultrasound; High-frequency audition; Downward spread of masking (Nishimura, T. (175) 171)

Cat
Auditory prosthesis; Cochlear implant; Electric stimulation; Auditory nerve; Evoked potential; Monopolar; Bipolar; Model (A. Miller, C. (175) 200)

Chicken
Aging; Auditory; Cytochrome oxidase; Metabolism; Nucleus magnocellularis (Smittkamp, S.E. (175) 101)

Chinchilla
Noise; Tracer; Endolymphatic potential; Holes in reticular lamina; Membrane discontinuities (Ahmad, M. (175) 82)

Click-evoked otoacoustic emission
Nonlinearity; Intensity; Phase; Envelope (Carvalho, S. (175) 215)

Cochlea
Gene profile; Microarray; Rat (Lin, J. (175) 2)

Cochlear implant
Auditory prosthesis; Electric stimulation; Auditory nerve; Evoked potential; Monopolar; Bipolar; Cat; Model (A. Miller, C. (175) 200)

Collagen
Genetic; Hearing; Deafness; Stickler; Marshall (Szymko-Bennett, Y.M. (175) 178)

Compound carrier
Hereditary; Congenital deafness; Consanguinity; Auditory; Outer hair cell (Engel-Yeger, B. (175) 140)

Conductive
Middle ear; Amniotic; Fluid; Neonate; Osmotic (Priner, R. (175) 133)

PII: S0378-5955(02)00788-8

Congenital deafness
Hereditary; Consanguinity; Auditory; Outer hair cell; Compound carrier (Engel-Yeger, B. (175) 140)

Consanguinity
Hereditary; Congenital deafness; Auditory; Outer hair cell; Compound carrier (Engel-Yeger, B. (175) 140)

Cranio-cervical tinnitus
Tinnitus; Gaze-evoked tinnitus; Cutaneous-evoked tinnitus; Somatomotor-evoked tinnitus; Plasticity; Crossmodal plasticity; Limbic system; Trigeminal ganglion; Amygdala; Phantom perception; Pain (Cacace, A.T. (175) 112)

Crossmodal plasticity
Tinnitus; Gaze-evoked tinnitus; Cranio-cervical tinnitus; Cutaneous-evoked tinnitus; Somatomotor-evoked tinnitus; Plasticity; Limbic system; Trigeminal ganglion; Amygdala; Phantom perception; Pain (Cacace, A.T. (175) 112)

Cutaneous-evoked tinnitus
Tinnitus; Gaze-evoked tinnitus; Cranio-cervical tinnitus; Somatomotor-evoked tinnitus; Plasticity; Crossmodal plasticity; Limbic system; Trigeminal ganglion; Amygdala; Phantom perception; Pain (Cacace, A.T. (175) 112)

Cytochrome oxidase
Aging; Auditory; Chicken; Metabolism; Nucleus magnocellularis (Smittkamp, S.E. (175) 101)

Deafness
Genetic; Hearing; Stickler; Marshall; Collagen (Szymko-Bennett, Y.M. (175) 178)

Development
Auditory brainstem response; Tammar wallaby; Superior olivary complex; Auditory adaptation (Liu, G.B./. (175) 152)

Outer hair cell; Motility; Thyroid hormone; Hypothyroidism; Auditory system; Gerbil; Tissue culture (He, D.Z.Z. (175) 183)

Downward spread of masking
Ultrasonic perception; Bone conduction; Simultaneous masking; Dynamic range; Ultrasound; High-frequency audition (Nishimura, T. (175) 171)

Dynamic range
Ultrasonic perception; Bone conduction; Simultaneous masking; Ultrasound; High-frequency audition; Downward spread of masking (Nishimura, T. (175) 171)

Electric stimulation
Auditory prosthesis; Cochlear implant; Auditory nerve; Evoked potential; Monopolar; Bipolar; Cat; Model (A. Miller, C. (175) 200)

Electrical resonance
Frog sacculus; Hair cells; BK channels; Voltage-dependent K channels; Protease VIII; Papain (Catacuzzeno, L. (175) 36)

Endolymph
Hydrops; Menière; Micropressure system; Perilymph; Round window (Wit, H.P. (175) 190)

Endolymphatic potential
Noise; Tracer; Holes in reticular lamina; Membrane discontinuities; Chinchilla (Ahmad, M. (175) 82)

Envelope
Click-evoked otoacoustic emission; Nonlinearity; Intensity; Phase (Carvalho, S. (175) 215)

Evoked potential
Auditory prosthesis; Cochlear implant; Electric stimulation; Auditory nerve; Monopolar; Bipolar; Cat; Model (A. Miller, C. (175) 200)

Fluid
Middle ear; Amniotic; Conductive; Neonate; Osmotic (Priner, R. (175) 133)

Forward masking
Sensation; Just-detectable increment; Psychometric; Gaussian; Signal detection (Nizami, L. (175) 14)

Basilar membrane mechanics; Frequency tuning (Moore, B.C.J. (175) 66)

Frequency tuning
Forward masking; Basilar membrane mechanics (Moore, B.C.J. (175) 66)

Frog sacculus
Hair cells; BK channels; Voltage-dependent K channels; Electrical resonance; Protease VIII; Papain (Catacuzzeno, L. (175) 36)

Gaussian
Sensation; Just-detectable increment; Forward masking; Psychometric; Signal detection (Nizami, L. (175) 14)

Gaze-evoked tinnitus
Tinnitus; Cranio-cervical tinnitus; Cutaneous-evoked tinnitus; Somatomotor-evoked tinnitus; Plasticity; Crossmodal plasticity; Limbic system; Trigeminal ganglion; Amygdala; Phantom perception; Pain (Cacace, A.T. (175) 112)

Gene profile
Cochlea; Microarray; Rat (Lin, J. (175) 2)

Genetic
Hearing; Deafness; Stickler; Marshall; Collagen (Szymko-Bennett, Y.M. (175) 178)

Gerbil
Outer hair cell; Development; Motility; Thyroid hormone; Hypothyroidism; Auditory system; Tissue culture (He, D.Z.Z. (175) 183)

Hair cells
Frog sacculus; BK channels; Voltage-dependent K channels; Electrical resonance; Protease VIII; Papain (Catacuzzeno, L. (175) 36)

Hearing
American bullfrog; *Rana catesbeiana*; Middle ear; Mechanical lever (Werner, Y.L. (175) 54)

Genetic; Deafness; Stickler; Marshall; Collagen (Szymko-Bennett, Y.M. (175) 178)

Hereditary
Congenital deafness; Consanguinity; Auditory; Outer hair cell; Compound carrier (Engel-Yeger, B. (175) 140)

High-frequency audition
Ultrasonic perception; Bone conduction; Simultaneous masking; Dynamic range; Ultrasound; Downward spread of masking (Nishimura, T. (175) 171)

Holes in reticular lamina
Noise; Tracer; Endolymphatic potential; Membrane discontinuities; Chinchilla (Ahmad, M. (175) 82)

5-HT
Salicylate; Tinnitus; Inferior colliculus; Auditory cortex; Microdialysis (Liu, J. (175) 45)

Hydrops
Endolymph; Menière; Micropressure system; Perilymph; Round window (Wit, H.P. (175) 190)

Hypothyroidism
Outer hair cell; Development; Motility; Thyroid hormone; Auditory system; Gerbil; Tissue culture (He, D.Z.Z. (175) 183)

Inferior colliculus
Salicylate; Tinnitus; Auditory cortex; 5-HT; Microdialysis (Liu, J. (175) 45)

Intensity
Click-evoked otoacoustic emission; Nonlinearity; Phase; Envelope (Carvalho, S. (175) 215)

Japanese monkey
Auditory discrimination; Tone sequence (Izumi, A. (175) 75)

Just-detectable increment
Sensation; Forward masking; Psychometric; Gaussian; Signal detection (Nizami, L. (175) 14)

Limbic system
Tinnitus; Gaze-evoked tinnitus; Cranio-cervical tinnitus; Cutaneous-evoked tinnitus; Somatomotor-evoked tinnitus; Plasticity; Crossmodal plasticity; Trigeminal ganglion; Amygdala; Phantom perception; Pain (Cacace, A.T. (175) 112)

Marshall
Genetic; Hearing; Deafness; Stickler; Collagen (Szymko-Bennett, Y.M. (175) 178)

Mechanical lever
American bullfrog; *Rana catesbeiana*; Middle ear; Hearing (Werner, Y.L. (175) 54)

Membrane discontinuities
Noise; Tracer; Endolymphatic potential; Holes in reticular lamina; Chinchilla (Ahmad, M. (175) 82)

Menière
Endolymph; Hydrops; Micropressure system; Perilymph; Round window (Wit, H.P. (175) 190)

Metabolism
Aging; Auditory; Chicken; Cytochrome oxidase; Nucleus magnocellularis (Smittkamp, S.E. (175) 101)

Microarray
Cochlea; Gene profile; Rat (Lin, J. (175) 2)

Microdialysis
Salicylate; Tinnitus; Inferior colliculus; Auditory cortex; 5-HT (Liu, J. (175) 45)

Micropressure system
Endolymph; Hydrops; Menière; Perilymph; Round window (Wit, H.P. (175) 190)

Middle ear
American bullfrog; *Rana catesbeiana*; Mechanical lever; Hearing (Werner, Y.L. (175) 54)

Amniotic; Conductive; Fluid; Neonate; Osmotic (Priner, R. (175) 133)

Model
Auditory prosthesis; Cochlear implant; Electric stimulation; Auditory nerve; Evoked potential; Monopolar; Bipolar; Cat (A. Miller, C. (175) 200)

Monopolar
Auditory prosthesis; Cochlear implant; Electric stimulation; Auditory nerve; Evoked potential; Bipolar; Cat; Model (A. Miller, C. (175) 200)

Motility
Outer hair cell; Development; Thyroid hormone; Hypothyroidism; Auditory system; Gerbil; Tissue culture (He, D.Z.Z. (175) 183)

Neonate
Middle ear; Amniotic; Conductive; Fluid; Osmotic (Priner, R. (175) 133)

Noise
Tracer; Endolymphatic potential; Holes in reticular lamina; Membrane discontinuities; Chinchilla (Ahmad, M. (175) 82)

Nonlinearity
Click-evoked otoacoustic emission; Intensity; Phase; Envelope (Carvalho, S. (175) 215)

Nucleus magnocellularis
Aging; Auditory; Chicken; Cytochrome oxidase; Metabolism (Smittkamp, S.E. (175) 101)

Osmotic
Middle ear; Amniotic; Conductive; Fluid; Neonate (Priner, R. (175) 133)

Outer hair cell
Hereditary; Congenital deafness; Consanguinity; Auditory; Compound carrier (Engel-Yeger, B. (175) 140)

Development; Motility; Thyroid hormone; Hypothyroidism; Auditory system; Gerbil; Tissue culture (He, D.Z.Z. (175) 183)

Pain
Tinnitus; Gaze-evoked tinnitus; Cranio-cervical tinnitus; Cutaneous-evoked tinnitus; Somatomotor-evoked tinnitus; Plasticity; Crossmodal plasticity; Limbic system; Trigeminal ganglion; Amygdala; Phantom perception (Cacace, A.T. (175) 112)

Papain
Frog sacculus; Hair cells; BK channels; Voltage-dependent K channels; Electrical resonance; Protease VIII (Catacuzzeno, L. (175) 36)

Perilymph
Endolymph; Hydrops; Menière; Micropressure system; Round window (Wit, H.P. (175) 190)

Phantom perception

Tinnitus; Gaze-evoked tinnitus; Cranio-cervical tinnitus; Cutaneous-evoked tinnitus; Somatomotor-evoked tinnitus; Plasticity; Crossmodal plasticity; Limbic system; Trigeminal ganglion; Amygdala; Pain (Cacace, A.T. (175) 112)

Phase

Click-evoked otoacoustic emission; Nonlinearity; Intensity; Envelope (Carvalho, S. (175) 215)

Plasticity

Tinnitus; Gaze-evoked tinnitus; Cranio-cervical tinnitus; Cutaneous-evoked tinnitus; Somatomotor-evoked tinnitus; Crossmodal plasticity; Limbic system; Trigeminal ganglion; Amygdala; Phantom perception; Pain (Cacace, A.T. (175) 112)

Protease VIII

Frog sacculus; Hair cells; BK channels; Voltage-dependent K channels; Electrical resonance; Papain (Catacuzzeno, L. (175) 36)

Psychometric

Sensation; Just-detectable increment; Forward masking; Gaussian; Signal detection (Nizami, L. (175) 14)

Rana catesbeiana

American bullfrog; Middle ear; Mechanical lever; Hearing (Werner, Y.L. (175) 54)

Rat

Cochlea; Gene profile; Microarray (Lin, J. (175) 2)

Round window

Endolymph; Hydrops; Menière; Micropressure system; Perilymph (Wit, H.P. (175) 190)

Salicylate

Tinnitus; Inferior colliculus; Auditory cortex; 5-HT; Microdialysis (Liu, J. (175) 45)

Sensation

Just-detectable increment; Forward masking; Psychometric; Gaussian; Signal detection (Nizami, L. (175) 14)

Signal detection

Sensation; Just-detectable increment; Forward masking; Psychometric; Gaussian (Nizami, L. (175) 14)

Simultaneous masking

Ultrasonic perception; Bone conduction; Dynamic range; Ultrasound; High-frequency audition; Downward spread of masking (Nishimura, T. (175) 171)

Somatomotor-evoked tinnitus

Tinnitus; Gaze-evoked tinnitus; Cranio-cervical tinnitus; Cutaneous-evoked tinnitus; Plasticity; Crossmodal plasticity; Limbic system; Trigeminal ganglion; Amygdala; Phantom perception; Pain (Cacace, A.T. (175) 112)

Stickler

Genetic; Hearing; Deafness; Marshall; Collagen (Szymko-Bennett, Y.M. (175) 178)

Superior olivary complex

Auditory brainstem response; Tammar wallaby; Development; Auditory adaptation (Liu, G.B./. (175) 152)

Tammar wallaby

Auditory brainstem response; Superior olivary complex; Development; Auditory adaptation (Liu, G.B./. (175) 152)

Thyroid hormone

Outer hair cell; Development; Motility; Hypothyroidism; Auditory system; Gerbil; Tissue culture (He, D.Z.Z. (175) 183)

Tinnitus

Salicylate; Inferior colliculus; Auditory cortex; 5-HT; Microdialysis (Liu, J. (175) 45)

Gaze-evoked tinnitus; Cranio-cervical tinnitus; Cutaneous-evoked tinnitus; Somatomotor-evoked tinnitus; Plasticity; Crossmodal plasticity; Limbic system; Trigeminal ganglion; Amygdala; Phantom perception; Pain (Cacace, A.T. (175) 112)

Tissue culture

Outer hair cell; Development; Motility; Thyroid hormone; Hypothyroidism; Auditory system; Gerbil (He, D.Z.Z. (175) 183)

Tone sequence

Auditory discrimination; Japanese monkey (Izumi, A. (175) 75)

Tracer

Noise; Endolymphatic potential; Holes in reticular lamina; Membrane discontinuities; Chinchilla (Ahmad, M. (175) 82)

Trigeminal ganglion

Tinnitus; Gaze-evoked tinnitus; Cranio-cervical tinnitus; Cutaneous-evoked tinnitus; Somatomotor-evoked tinnitus; Plasticity; Crossmodal plasticity; Limbic system; Amygdala; Phantom perception; Pain (Cacace, A.T. (175) 112)

Ultrasonic perception

Bone conduction; Simultaneous masking; Dynamic range; Ultrasound; High-frequency audition; Downward spread of masking (Nishimura, T. (175) 171)

Ultrasound

Ultrasonic perception; Bone conduction; Simultaneous masking; Dynamic range; High-frequency audition; Downward spread of masking (Nishimura, T. (175) 171)

Voltage-dependent K channels

Frog sacculus; Hair cells; BK channels; Electrical resonance; Protease VIII; Papain (Catacuzzeno, L. (175) 36)